


FLPO





Headlights Renewer  
Rinnovatore fari

**MAX**  
*New Light*



Seguici su:



YouTube

WWW.ILPA.IT



CLEAR COATS  
AND PRIMERS



BODY FILLERS



SPECIAL



THINNERS



POLISHERS



RESINS



ENAMELS



ACCESSORIES

Rev. 9/2018



# CHEMICALS *in* *harmony* *with* *nature*

*Innovation · Research*  
*Production of Glues and Putties*


Ilpa Adesivi is a leading player in the production of mastics for the stone industry. The goal of this family-run business established in the early 80's in Bari (Italy) was to provide a concrete support for companies dedicated to processing marble. This led to the creation of **JOLLY**® mastic, which is now synonymous with quality and excellence. The company's focus on the future and in-depth research has allowed it to concentrate on new market sectors over the years. Today, Ilpa Adesivi is a solid reference point for importers, retailers and agents operating in the sectors of marble processing, automobile bodywork and boats. The company manufactures specialized products intended for use by both professionals and the DIY market.

Ilpa Adesivi knows the value of social responsibility and has introduced a new product line with a low impact on the environment: *linea***BLU**®.

The company has decided to invest in research and technology in order to constantly ensure 100% customer satisfaction and the highest level of personalization of the finished product. Our products can be found in over 50 countries world-wide.

## *Suppliers and Quality*

Our priority is to have the best suppliers on the market: they are our partners and accompany us as we grow. Ilpa Adesivi's quality is certified: an additional guarantee for our clientele.



CLEAR COATS AND PRIMERS

## CLEAR AND PRIMERS

The high profile range is the production of the acrylics, all two-components of a very high quality, formulated with the best resins available on the market, as a result of an accurate research and continuous testing. Clear coats have overcome several lab tests against the yellowing effect and are available in two types: special clear coat anti scratch and low voc clear coat, suitable for finishing works on any metal surface. Then the primers, acrylic based, both nitro and polyester, perfect for filling, isolating, anti-rust, always low voc, are the best tool for painting any metal surface.

Furthermore, we have introduced our MAX MATT ACRYLIC CLEAR COAT, a premium high range product, designed to a particularly high target and for prestigious cars.



## MAX two-components acrylic clear coat-matt WITH HARDENER

Polyurethane two-component acrylic paint, solvent based, for clear and matt finishing works with the possibility of eliminating the dirt tracks which appear during application. Its formulation meets the maximum content of volatile organic provided by the DL 161 of 27/03/2006 and the relevant European Directive 1004/42/CE e) special finishes 840 g/l. High resistance to weathering and excellent abrasion resistance. Particularly suitable for all vehicles, cars and motorcycles with a matt finish; it can also be applied on rigid plastic with no additives. It produces a perfectly clear film which is uniform and nice looking.



Code	Brand	Weight	Package	Pcs x Crt
8200/MO	MAX	Lt. 1	Bottle	9
K8111/MO	Hardener	Lt. 0,500	Bottle	9

## MAX Clear Acrylic Coat

### LOW VOC



Max acrylic clear 2K low Voc is a two components high thickness clear paint, suitable for any metal surfaces finishing works. This compound matches the maximum contents of organic volatile solvents as per the D.L. 161 dated 27/03/2006 and European Directive 1004/42/CE: d) finiture 420 g/l:

Specific for pastel, metallized and pearly base of any brand, compatible with water systems. Excellent features of brilliance, expansion, large versatility as for drying speed according to the type of hardener which has been used (slow, standard, fast, express), strong resistance to the atmospheric agents and a very good resistance to the yellowing.

Code	Brand	Weight	Package	Pcs x Crt
8200/MBV	MAX	Lt. 1	Bottle	9
8201/MBV	MAX	Lt. 5	Can	3

## MAX Hardener

### FOR ACRYLIC CLEAR COAT LOW VOC

The hardener for Polyurethane 2K Acrylic Clear Coat Low Voc is a specific hardener for a two components acrylic clear coat, suitable for any metal surface finishing. If used with Max acrylic clear coat it matches the maximum volatile organic contents according to D.L. 161 dated 27/03/2006 and European Directive 1004/42/CE: d) finiture 420 g/l. the contents of aliphatic isocyanate gives the product high resistance to the atmospheric agents. The very selected mix of solvents grant a gradual drying up and a very good dilation.

Max hardener can be used with Max acrylic clear coat in the ratio of 1:2. the two items must be mixed just before their use. Thanks to the contents of aliphatic isocyanate Max acrylic hardener has a very high resistance to yellowing, but because of its nature, it fears the humidity; it is advised to use driers during application.

Available in the following types: slow, standard, fast, express.



Code	Brand	Weight	Package	Pcs x Crt
8111/M6	MAX Cat. Acr. BV Standard	Lt. 0,500	Bottle	9
8123/MBV	MAX Cat. Acr. BV Standard	Lt. 2,500	Can	3
8112/M6	MAX Cat. Acr. BV Slow	Lt. 0,500	Bottle	9
8124/MBV	MAX Cat. Acr. BV Slow	Lt. 2,500	Can	3
8113/M6	MAX Cat. Acr. BV Fast	Lt. 0,500	Bottle	9
8125/MBV	MAX Cat. Acr. BV Fast	Lt. 2,500	Can	3
8114/M6	MAX Cat. Acr. BV Express	Lt. 0,500	Tin	9
8126/MBV	MAX Cat. Acr. BV Express	Lt. 2,500	Can	3

## MAX Polyester Filler

### LOW VOC



Max Polyester filler, 2 components, formulated according to the D.L. 161 dated 27/03/2006 and European Directive 1004/42/CE in order to reduce the presence of Volatile Organic Contents in the atmosphere. It can be used both for total or partial remake of industrial vehicles and cars. Max Polyester Filler has a perfect stretching, excellent adhesion on several surfaces; very good antirust features; Max polyester filler can be sprayed both as a filling primer or as a filling isolator, it allows high thickness even with just one coat and finds best application to isolate the surfaces to be painted in order to have a better finish of those sheets which have been already filled with putty. It can be applied on polyester putties, fiberglass, gel coat, epoxy primers and fillers.

Code	Brand	Weight	Package	Pcs x Crt
8300/M	MAX	Lt. 0,75	Tin	12
8302	MAX	Lt. 3	Tin	4

## MAX Clear Acrylic Coat

### SPECIAL ANTI SCRATCH



It's a two components high thickness clear paint, suitable for any metal surfaces finishing works. Specific for pastel, metallized and pearly base of any brand, compatible with water systems. Excellent features of brilliance, expansion, drying speed, a strong resistance to the atmospheric agents and a very good resistance to the yellowing.

Code	Brand	Weight	Package	Pcs x Crt
8200/M9	MAX	Lt. 1	Bottle	9
8201/M	MAX	Lt. 5	Can	3

## MAX Hardener for acrylic clear coat

### ANTI SCRATCH

Hardener for polyurethane acrylic enamels and acrylic two-layers enamels. Non yellowing, it has a good absorption of the application fumes.

Code	Brand	Weight	Package	Pcs x Crt
8111/M6	MAX Cat. Acr. BV Standard	Lt. 0,500	Bottle	9
8123/MBV	MAX Cat. Acr. BV Standard	Lt. 2,500	Can	3
8112/M6	MAX Cat. Acr. BV Slow	Lt. 0,500	Bottle	9
8124/MBV	MAX Cat. Acr. BV Slow	Lt. 2,500	Can	3
8113/M6	MAX Cat. Acr. BV Fast	Lt. 0,500	Bottle	9
8125/MBV	MAX Cat. Acr. BV Fast	Lt. 2,500	Can	3
8114/M6	MAX Cat. Acr. BV Express	Lt. 0,500	Tin	9
8126/MBV	MAX Cat. Acr. BV Express	Lt. 2,500	Can	3



## MAX Nitro Primer

Max Nitro is a one component primer based on cellulose nitrate and alchedic resins with fast drying. It's formulated for all types of car body works (total and partial paint, touch ups) applicable on putties, nude sheets, new sheets, old paintings, zinc sheets. Thanks to the high solid contents, Max Nitro can be used as an isolating or filling primer according to the percentage of dilution; it has a high covering power, easy application, fast drying and excellent sanding.

Code	Brand	Weight	Package	Pcs x Crt
8261/M	MAX	Lt. 1	Tin	12



## MAX Acrylic polyurethane 2K Primer LOW VOC

Acrylic polyurethane 2K Primer LOW VOC, solvent base. This compound matches the maximum contents of organic volatile solvents as per the D.L. 161 dated 27/03/2006 and European Directive 1004/42/CE: c) primer 540 g/l.

Max acrylic primer Low Voc is suitable for all body works (total and partial paintings, touch ups), applicable on putties, epoxy and polyester fillers, nude sheets, new and old paintings, zinc sheets.

By changing the percentage of dilution it may be used as an isolating or filling primer; it has a high covering power, easy application and very good sanding.



Code	Brand	Weight	Package	Pcs x Crt
8251/M	MAX	Lt. 1	Tin	6
Hardener	MAX	Lt. 0,200	Tin	6

Available colours: White, Grey, Black, Yellow, Dark grey, Red

## MAX Acrylic Hardener UNIVERSAL

Universal hardener for polyurethane acrylic enamels and acrylic paints for double coats. It doesn't turn yellow, it has a very good absorption of the application' fumes.



Code	Brand	Weight	Package	Pcs x Crt
8151/M	MAX Cat. Univ. Acr. Standard	Lt. 0,500	Bottle	9
8152/M	MAX Cat. Univ. Acr. Slow	Lt. 0,500	Bottle	9
8153/M	MAX Cat. Univ. Acr. Fast	Lt. 0,500	Bottle	9



BODY FILLERS

## BODY FILLERS

The versatility of the production of metal fillers, from the traditional **standard putty** to the innovative **EASY30**, with excellent sanding features on all types of metal sheets, is able to carry out every car body refinishing jobs but also meeting any industrial car body and first plant's need. All fillers are supplied with a proper hardener pot or tube.



## SIDERPLAST EASY 30 TOP SANDING BODY FILLER


Siderplast EASY30 is a two-component car body filler, a new formulation that meets the requirements of sanding and maximum grip, keeping a low specific weight. Softness, fast drying and a very high sanding allow a simple and perfect application, speeding up production rates. The high adhesive strength allows the use on bare metal sheet, both new and galvanized sheets. The low specific gravity, high thixotropy and excellent sanding properties allow to perform the repairs, even of large size, with a minimum quantity of product, ensuring a high yield. The car body filler Siderplast EASY30 is lightweight and can be used where it is necessary to maintain unchanged the weight of the substrate: glass-resin, wood, etc..



Code	Brand	Weight	Package	Pcs x Crt
10012	SIDERPLAST EASY30	Kg. 1,200	Pan	6

## SIDERPLAST CAP 80 TWO-COMPONENT METAL FILLER

The two-component body filler Siderplast CAP80 is a new formulation from the ILPA ADESIVI. The exceptional softness and extraordinary creaminess allow a simple and flawless application of the product, while the rapid drying speeds up production rates. The technical features of the product are excellent such as: the high adhesive strength allows the use onto bare metal sheets, new metal and new galvanized sheets; good elasticity and excellent sanding guarantee the final result. Siderplast CAP80 has a neutral color (light gray) and then you can paint directly with any type of product, mono- or two-component. Available in two colors: white and yellow.



Code	Brand	Weight	Package	Pcs x Crt
9802	SIDERPLAST CAP80	Kg. 0,250	Tin	9
9805	SIDERPLAST CAP80	Kg. 0,500	Small Pan	12
9812/P	SIDERPLAST CAP80	Kg. 1,200	Pan	6
9820	SIDERPLAST CAP80	Kg. 2	Large Pan	6

## SIDERPLAST Standard

SIDERPLAST Standard is a 2 components putty for metal used for car body works with very good results, and also for all works where a metallic surface has to be restored for painting.

SIDERPLAST Standard is manufactured with polyester resins of excellent quality, added with mineral charges selected for their pureness and granulometry.

Such a compound guarantees a very good adhesiveness of the product to the treated metal sheets and gives them a good flexibility which, in any case, does not cause the detaching of the putty. After hardening, SIDERPLAST Standard may be treated by abrasive paper for making it smooth and ready for painting.



Code	Brand	Weight	Package	Pcs x Crt
9002	SIDERPLAST Standard	Kg. 0,250	Tin	9
9005	SIDERPLAST Standard	Kg. 0,500	Small Pan	12
9001	SIDERPLAST Standard	Kg. 1	Tamburello	12
9013/P	SIDERPLAST Standard	Kg. 1,350	Pan	6

## SIDERPLAST Sid 40

SIDERPLAST Sid 40 it's a specific 2 components polyester putty suitable for filling any metal sheets with the peculiarity of an easy sanding and a perfect adherence to the metal support; SIDERPLAST Sid 40 is manufactured with polyester resins of excellent quality, added with mineral charges selected for their pureness and granulometry.

Such a compound guarantees a very good adhesiveness of the product to the treated metal sheets and gives them a good flexibility which, in any case, does not cause the detaching of the putty. After hardening, SIDERPLAST Sid 40 may be treated by abrasive paper for making it smooth and ready for painting.



Code	Brand	Weight	Package	Pcs x Crt
9102	SIDERPLAST Sid 40	Kg. 0,250	Can	9
9105	SIDERPLAST Sid 40	Kg. 0,500	Small Pan	12
9101	SIDERPLAST Sid 40	Kg. 1	Tamburello	12
9112/P	SIDERPLAST Sid 40	Kg. 1,200	Pan	6
9120	SIDERPLAST Sid 40	Kg. 2	Large Pan	6

## SIDERPLAST Aluminium paste

SIDERPLAST Aluminium it's a specific 2 components polyester putty for metal sheets containing aluminium paste, it's a basically tenacious and resistant product but extremely spreadable with an easy sanding.

Its main application is on aluminium bodyworks and for the reconstruction of missing parts. Thanks to its innovative formula this putty can be perfectly threaded, drilled and it's also used to replace some welding.



Code	Brand	Weight	Package	Pcs x Crt
9402	SIDERPLAST Alluminium in paste	Kg. 0,250	Tin	9
9401	SIDERPLAST Alluminium in paste	Kg. 1	Tamburello	12

## SIDERPLAST Fibreglass

SIDERPLAST Fibreglass it's a specific 2 components putty based on selected polyester resins added with a mixture of high quality fibreglass which make this putty particularly suitable for those works of thick filling and to rebuild various missing parts in the car body; it can also be used with good results in the filling of fibreglass parts (tanks, boats and plastic bumpers).



Code	Brand	Weight	Package	Pcs x Crt
9302/9	SIDERPLAST with Fibreglass	Kg. 0,200	Tin	9
9305	SIDERPLAST with Fibreglass	Kg. 0,500	Small Pan	12
9301	SIDERPLAST with Fibreglass	Kg. 1	Tamburello	12
9312/P	SIDERPLAST with Fibreglass	Kg. 1,250	Pan	6

## MAX Nitro Putty

Siderplast nitro is a one component putty based on cellulose nitrate and alchedic resins with fast drying. Formulated for all types of car body works, applicable with a spatula, provided with a good adhesion and excellent sanding; it may be painted directly with any types of product. Applicable both on nude and zinc sheets.


Siderplast nitro putty has a very good adherence on different metal substrates: iron, steel and zinc sheets. It remains unchanged by contact with both acid and basic chemical agents and has a good resistance by contact with organic solvents.

In case of application on nude sheets, sand with abrasive paper P80.

Code	Brand	Weight	Package	Pcs x Crt
9601	MAX Nitro Putty	Kg. 1	Pan	12
9615	MAX Nitro Putty	Kg. 1,5	Pan	6



linea  
**BLU**  
BREATH BLU



SPECIAL

## SPECIALITIES

Our research lab is constantly creating some "specialties" to meet very specific requirements.

Our CERAMIC FILLER has been developed for repairing wind turbine blades. The speed at which the blades rotate, the height and the extreme weather conditions the wind turbines are subjected to, require constant maintenance with high performance products. For such reason we created a very specific filler, which has passed the difficult tests, without detaching and without decay.

The HEADLIGHTS Renovator Kit meets the needs of do-it-yourself car maintenance. With an excellent price - quality ratio this kit that contains the necessary to bring your car's headlights into a new life, extremely easy to use with a professional results.

BLU body filler, unique on the market without styrene and odorless, with maximum versatility and strong grip on any surface.



## BLU Filler WITHOUT STYRENE

Two components filler based on acrylic and methacrylate high boiling points and unsaturated polyester resins with a fast drying.  
The styrene free BLU BODY filler matches the maximum COV contents as per D.L. 161 of 27/03/2006 and the relevant European Directory 1004/42/CE (max 250 g/l), staying further more lower then the allowed range of limits (BLU 31 g/l ASTM 2369); it does not contain toxic solvents to the health.



Code	Brand	Weight	Package	Pcs x Crt
9001/BLU	BLU	Kg. 1	Can	6

## MAX New Light RENEWAL KIT FOR HEADLIGHTS

Specific product for the repair of all scratched polycarbonate materials and/or worn and yellowed by time: headlamps, portholes, synthetic glass, etc.. Restore the original film of polycarbonate cap giving a high UV protection without altering the mechanical strength. MAX - NEW LIGHT has a high strength and adhesion to plastics such as polycarbonate material allowing a total restoring. The case kit, complete with everything you need, allows you to repair the damaged part without the need for a special equipment, ideal not only for the do-it-yourself but also for the professional use.



**Reusable case kit containing**

Part A - Part B - Part C, and spray container, spatula, abrasive papers

or **"recharge" kit containing** Part A - Part B - Part C



## MAINTENANCE FOR WIND TURBINE



## SPECIAL WIND TURBINE


### MAINTENANCE

The range of our products is specialized by the excellence of Made in Italy quality dedicated to the maintenance of wind turbines.  
A project always in evolution developing new solutions.

### REPAIR

Our two chemical laboratories develop new products for the repair of wind turbines suitable for thermal and dynamic high stress.





THINNERS

## THINNERS

To complete our acrylic products line, three additional items have been formulated for a correct dilution of our clear coats and our primers and for cleaning and degreasing.



### MAX Acrylic Thinner

Max Acrylic Thinner is composed of acrylic solvents of a very high pureness and absolutely anhydrous; suitable to dilute 2k primers, paints and lacquers. It is used in order to have a correct dilution and a perfect laying of the spraying films, avoiding so the appearance of disagreeable dotted surfaces and other typical imperfection of unsuited products. Technical features: max acrylic thinner, if properly used, can grant a matchless brightness; we suggest to use it in a proportion of about 5-10%, with all the acrylic 2k products. Available in different speeds like slow, standard and fast in order to satisfy all different working needs.



Code	Brand	Weight	Package	Pcs x Crt
1023/M	MAX Acrylic Thinner Normal	Lt. 1	Bottle	12
1023/ML	MAX Acrylic Thinner Slow	Lt. 1	Bottle	12
1023/MR	MAX Acrylic Thinner Fast	Lt. 1	Bottle	12
1024/M	MAX Acrylic Thinner Normal	Lt. 5	Can	4
1024/ML	MAX Acrylic Thinner Slow	Lt. 5	Can	4

### MAX Antisilicone Thinner

Anti-Silicone Thinner, suitable for washing, cleaning and degreasing any car body parts polluted by silicone.










Code	Brand	Weight	Package	Pcs x Crt
1031/M	MAX Antisilicone Thinner	Lt. 0,750	Bottle	12
1032/M	MAX Antisilicone Thinner	Lt. 5	Can	4

### MAX Nitro Thinner

Nitro Thinner suitable for the dilution of the underbody.



Code	Brand	Weight	Package	Pcs x Crt
1051/M	MAX Nitro Thinner	Lt. 1	Bottle	12
1055/M	MAX Nitro Thinner	Lt. 5	Can	4



POLISHERS

## POLISHERS

In order to complete our ILPA car's range of products we also manufacture, both for professional and domestic users, a series of detergents, polishers, renovators and protective compounds which help to restore and keep as long as possible the shining and the colour of the car body.



## VELVET Abrasive paste

Velvet abrasive paste is a product made by synthetic waxes and metallic oxides. It is the ideal product for removing small scratches and stains from all types of car body paints even oxidized paints. It does not contain silicones or asbestos. Suitable to improve any opacity of the painted car body or to finish the car before delivery; also useful in the "do it yourself" job thanks to an easy application and brilliant results. Available also with coarse grain for deeper scratches.



Code	Brand	Weight	Package	Pcs x Crt
8350	VELVET Polishing abrasive paste	Lt. 0,200	Tin	9
8351	VELVET Polishing abrasive paste	Lt. 0,500	Tin	12
8352	VELVET Polishing abrasive paste	Lt. 1,000	Tin	12
8353	VELVET Polishing abrasive paste	Lt. 2,000	Can	4
8350/G	VELVET Polishing abrasive paste Coarse Grain	Lt. 0,200	Tin	9
8351/G	VELVET Polishing abrasive paste Coarse Grain	Lt. 0,500	Tin	12

## VELVET Abrasive paste WATER BASED POLISHING

Velvet water based abrasive paste is a product made by emulsion waxes and metallic oxides. It is the ideal product for removing small scratches and stains from all types of car body paints even oxidized paints. It does not contain neither solvents and silicones nor asbestos. Suitable to improve any opacity of the painted car body or to finish the car before delivery; also useful in the "do it yourself" job thanks to an easy application and brilliant results.



Code	Brand	Weight	Package	Pcs x Crt
8350/Q	VELVET Water Polishing abrasive paste	Lt. 0,200	Tin	18
8351/Q	VELVET Water Polishing abrasive paste	Lt. 0,500	Tin	12

## MAX Polish


MAX POLISH is an emulsion of very fine selected and stabilized waxes mixed in water. The composition has been studied in order to grant the best results both for the professional user and the "do it yourself" market. MAX POLISH aims at giving a matchless polish on any type of paints; the application both on old and new paints brings to the same extraordinary result. Easy to apply, MAX Polish protects the car body from atmospheric agents and smog while carrying on a good waterproof function too. The abrasive version is also available.



Code	Brand	Weight	Package	Pcs x Crt
8762/M	MAX Water polish	Lt. 0,200	Bottle	24
8761/M	MAX Water polish	Lt. 1,000	Bottle	12

## MAX Cream for Car

Max cream for car is made of selected waxes, and it is capable of providing protection and brightness to the surfaces to which it is applied. Being free from abrasive agents, MAX cream does not scratch the surfaces. MAX cream is water-based and it is free from solvents. For this reason it has no smell neither upon the container opening, nor during application. The containers are to be kept in a cool place. They are guaranteed for one year starting from the production date mentioned under each container.



Code	Brand	Weight	Package	Pcs x Crt
8751	MAX Water based cream with sponge	Lt. 0,250	Tin	6
8753	MAX Water based cream	Lt. 0,750	Tin	12

## GLOSS

GLOSS is a renovator for plastic parts, regenerator for bumpers, bands, outside car's mirrors.

It restores the original color and protects the treated parts from smog, water, dust and saltiness. It can also be used on bikes trunks, rafts and suitcases.

Apply equally with a sponge over the clean surface to be treated, avoid any bubbles while applying the product; within a few hours, the Gloss makes a thin film that restores the original look of any plastic parts after been scratched or spoiled by the time and the use.

Available in the colors: neutral and black, does not contain silicones.



Code	Brand	Weight	Package	Pcs x Crt
8452	GLOSS Renewer for plastic parts neutral	Lt. 0,200	Bottle	24
8452/N	GLOSS Renewer for plastic parts black	Lt. 0,200	Bottle	24
8451	GLOSS Renewer for plastic parts neutral	Lt. 0,750	Bottle	12
8451/N	GLOSS Renewer for plastic parts black	Lt. 0,750	Bottle	12



RESINS

## RESINS

The resins used for repairing the car body are polyester based provided with liquid hardener, or supplied in a kit along with the fiberglass tissue suitable to rebuild some parts of the car body.



## MAX Vetrokitt

Vetrokitt is a complete kit for the reconstruction of missing parts in plastic, fibreglass or metal. The Vetrokitt includes a bottle of polyester resin and its hardener, the fibreglass net, a brush, the abrasive paper, a plastic pot and protective gloves. No other materials or tools are needed for the application; the easy application makes it suitable for both domestic and professional use.

Code	Brand	Weight	Package
8000	MAX Vetrokitt Kit for repairs with fibreglass	Lt. 0,800	6



## SK200

Consisting of: polyester resin, hardener in paste, fibreglass cloth, mixing cup. With SK200 one can fix any minor damage and easily fill gaps in fibreglass. SK200 small size pack with 200 gr. of resin avoids any costly waste of the product, even allowing non-expert users to work independently.

Code	Brand	Weight	Package	Pcs x Crt
8000/2	SK200	Gr. 200	1	15




## BD 22

Polyester based clear resin, for metal, plastic and fibreglass. Colorless and stable with the light, suitable for gluing and repairing of damaged or incomplete parts; it can also be used for the application of fibreglass net; Always use along with liquid hardener in the ratio of 3%.

Code	Brand	Weight	Package	Pcs x Crt
5138	BD22 Polyester Resin	Kg. 0,800	Bottle	12
5131	BD22 Polyester Resin	Kg. 1	Bottle	12
5135	BD22 Polyester Resin	Kg. 5	Can	4
5140	BD22 Polyester Resin	Kg. 10	Can	1
5142	BD22 Polyester Resin	Kg. 20	Can	1





ENAMELS

## ENAMELS AND SEALANTS

The scratchproof enamels, in different colors, matt and shine finish, the red chassis, the sealants for metal, by brush, the underbody, black, grey and white, all these items show high quality features, as a result of constant technological research and several tests carried out in laboratories and car repair workshops.



## MAX Nitro ACRYLIC ENAMEL

Max is a nitro acrylic enamel brilliant and self-polishing, it doesn't turn yellowish and has a very good resistance to the atmospheric agents. Very brilliant final look of the film, scratchproof, suitable for particular paintings and other finishing works in the car body industry.



Code	Brand	Weight	Package	Pcs x Crt
8701	MAX Matt Black for rims	Lt. 0,750	Tin	12
8702	MAX Shine Black for rims	Lt. 0,750	Tin	12
8703	MAX Shine white for rims	Lt. 0,750	Tin	12
8705	MAX Aluminium for rims	Lt. 0,750	Tin	12
8731	MAX Matt Black for rims	Lt. 3	Can	4
8735	MAX Aluminium for rims	Lt. 3	Can	4
8734	MAX White for rims	Lt. 3	Can	4

## MAX Antigravel

Max antigravel is an overcoatable protective compound, sound deadner, based on synthetic resin and high solid; it provides excellent protection against the abrasion from gravel with anti-corrosive function, specially suitable for car bodies, side bands, interiors, spoilers, trunk compartments. Perfectly overpaintable without any enamel absorption; its features are a fast drying process and a perfect adhesion; it also protects from humidity and resistant against thermal shocks.




Code	Brand	Weight	Package	Pcs x Crt
8875/MN	MAX Underbody Black	Lt. 0,750	Bottle	12
8875/MG	MAX Underbody White	Lt. 0,750	Bottle	12
8875/MG	MAX Underbody Grey	Lt. 0,750	Bottle	12
8815/MN	MAX Underbody Black	Lt. 1,500	Bottle	6
8815/MB	MAX Underbody White	Lt. 1,500	Bottle	6
8815/MG	MAX Underbody Grey	Lt. 1,500	Bottle	6






## MAX Sealant by Brush

Special thixotropic thick elastic sealer, One-Componet based on synthetic resins, high solid, used on different types of materials: metal sheets, aluminium, concrete, woods, glass, synthetics. In body works it has specific application in sealings subjected to strong vibrations as in the case of space frames, ribs, hoods, fenders, front grilles. Perfectly overcoatable without enamel absorption. It dries rapidly (air or oven), resistant to heat and atmospheric agents, very elastic, vibration resistant; apply by normal bristle brush on clean and dry surfaces.



Code	Brand	Weight	Package	Pcs x Crt
8901/M	MAX High Solid Sealer M123 by brush	Kg. 1	Tin	12



ACCESSORIES



## ACCESSORIES

Code	DESCRIPTION	Package	Pcs x Crt
LANA/PG	Fiberglass Wool Kg. 1	pc	6
LANA/PP	Fiberglass Wool Kg. 0,140	pc	12
LANA/R	Fiberglass Wool	Kg.	1
S56803	Rounded smooth brush	pc	12
1005	Brush for sealant	pc	12
Aste	Measuring sticks	pc	1
Aerografo	Spray guns	pc	1
10132	Papers adhes. tape branded ILPA 18/50	x piece	48 pz



**Rounded SMOOTH BRUSH**  
Size 6, for resin impregnation works.



**Brushes FOR SEALANT**  
Flat brush mm 30x15 for metal sealant by brush.



**Spray Guns FOR UNDERBODY**  
Professional underbody coating gun in nickel-plated aluminium body; 5 mm diameter nozzle, adjustable nozzle for spraying in different grains.



**Fiberglass Wool**  
Suitable for repairs on fibreglass surfaces, ideal for "do it yourself" works, packages kg 0,140, kg 1 and entire rolls.



**Measuring sticks**  
Metal sticks for volumetric measuring of catalyzed products.



FOLLOW US ON



Via Ferorelli, 4  
Zona Industriale  
70132 Bari (Italy)

Tel. +39 080.5383837  
Fax +39 080.5377807

[www.ilpa.it](http://www.ilpa.it)  
[segreteria@ilpa.it](mailto:segreteria@ilpa.it)

Commercial Dept.  
[commerciale@ilpa.it](mailto:commerciale@ilpa.it)

Export Dept.  
[ilpasrl@ilpa.it](mailto:ilpasrl@ilpa.it)

Export Secretariat  
[export@ilpa.it](mailto:export@ilpa.it)

Technical Assistance  
[laboratorio@ilpa.it](mailto:laboratorio@ilpa.it)

Quality and Environment  
[quality@ilpa.it](mailto:quality@ilpa.it)

Deliveries  
[spedizioni@ilpa.it](mailto:spedizioni@ilpa.it)

Marketing Dept.  
[marketing@ilpa.it](mailto:marketing@ilpa.it)

Administration  
[amministrazione@ilpa.it](mailto:amministrazione@ilpa.it)